

Amendments to the Claims:

This listing of claims will replace all prior versions and listing of claims in the application.

Listing of Claims:

1. (Currently Amended) A broadcasting method comprising the steps of:
broadcasting a begin store command and contents from a broadcaster ~~along~~
~~with a begin store command~~ in a first time period to a receiving side, said begin store
command causing said contents to be stored onto a storage medium at the receiving
side; and

broadcasting a play command from the broadcaster in a second time period
subsequent to said first time period to the receiving side after broadcasting the
contents, said play command causing said contents stored on said storage medium
to be retrieved for output of the contents.

2. (Original) A broadcasting method according to claim 1, wherein said
contents broadcast in said first time period are encrypted, and wherein said play
command broadcast in said second time period includes a decryption key for
decrypting the encrypted contents.

3. (Original) A broadcasting method according to claim 1, wherein said
contents broadcast in said first time period includes an identifier identifying said
contents, and wherein said play command broadcast in said second time period

includes an identifier allowing said contents to be retrieved from said storage medium for output.

4. (Original) A broadcasting method according to claim 1, wherein said contents broadcast in said first time period include an end store command for terminating the storing of said contents onto said storage medium.

5. (Currently Amended) A broadcast receiver comprising:
a receiver which receives contents and a begin store command broadcasted from a broadcaster in a first time period ~~along with a begin store command causing said contents to be stored~~, and then receives a play command broadcasted ~~by~~from the broadcaster in a second time period subsequent to said first time period, wherein said store command causes said contents to be stored, and wherein said play command ~~causing~~ causes the stored contents to be retrieved for output;
a storage medium which stores said contents received; and
a processor which stores said contents onto said storage medium in accordance with the received begin store command and retrieves said contents from said storage medium for output when it finds the play command is received.

6. (Original) A broadcast receiver according to claim 5, wherein said contents broadcast in said first time period are encrypted, wherein said play command broadcast in said second time period includes a decryption key for decrypting the

encrypted contents, and wherein said processor retrieves the encrypted contents from said storage medium and decrypts the retrieved contents for output.

7. (Original) A broadcast receiver according to claim 5, wherein said contents broadcasted in said first time period and stored on said storage medium include a first identifier identifying said contents, wherein said play command includes a second identifier, and wherein said processor retrieves for playback said contents stored on said storage medium along with said first identifier if said first identifier coincides with said second identifier included in said play command.

8. (Original) A broadcast receiver according to claim 5, wherein said contents broadcasted in said first time period include an end store command for terminating the storing of said contents onto said storage medium, and wherein said processor terminates the storing of said contents onto said storage medium the moment said end store command is received.

9. (Original) A broadcast receiver according to claim 6, wherein said processor stores the received decryption key into a memory and deletes said decryption key from said memory after decrypting the encrypted contents using said decryption key.

10. (Currently Amended) A broadcasting method comprising the steps of:

broadcasting, by a broadcaster, a begin store command and contents to be stored onto a storage medium at a receiving side in a first time period; and

broadcasting a play command from the broadcaster in a second time period subsequent to said first time period to the receiving side after broadcasting the contents, said broadcasting play command causing said contents stored on said storage medium to be output for playing.

11. (Previously Presented) A program stored on a computer readable storage medium executing a contents playback method on a computer, comprising instructions of:

finding a begin store command in a broadcast,

storing a contents subsequent to said broadcasted begin store command in a storage medium at a receiving side,

finding a play command in a broadcast, said broadcasted play command includes an identifier which identifies a contents broadcasted beforehand and stored in said storage medium,

playing the contents identified with said broadcasted play command, from said storage medium, when said broadcasted play command is found in the broadcast.

12. (Original) A program stored on a computer readable storage medium according to claim 11, wherein said contents broadcast are encrypted, and said play command broadcast includes a decryption key for decrypting the encrypted contents,

and wherein said step for playing includes a step for decrypting the contents before playing.

13. (Original) A program stored on a computer readable storage medium according to claim 11, further comprising steps of:

- finding an end store command in a broadcast; and
- terminating the storing of contents onto said storage medium the moment said end store command is received.

14. (Original) A program stored on a computer readable storage medium according to claim 12, further comprising a step of deleting said decryption key after decrypting the encrypted contents.